

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Canceled).
2. (Currently Amended) The method according to Claim ~~[[1]]~~ 10, further comprising the act of subsequently completely closing the window of the vehicle door after the vehicle door is closed.
3. (Currently Amended) The method according to Claim ~~[[1]]~~ 10, wherein the act of providing the double unlock command is carried out via at least one of a remote radio operation and a vehicle door command point actuation.
4. (Original) The method according to 2, wherein the act of completely closing the window of the vehicle door further comprises the act of monitoring the closing by an anti-squeeze device.

5. (Currently Amended) A system for facilitating entry into or out of a motor vehicle having at least one vehicle door, in which a window is lowerable and closeable and to which an opening/closing detecting device is assigned, the system comprising:

an unlocking device for unlocking the vehicle door;

a control device for controlling a window actuator; and

wherein the control device has inputs which receive a signal reflecting ~~[[an]]~~ a double unlock command to arm a complete window lowering operation and ~~a signal~~ signals which ~~corresponds~~ correspond to ~~a door opening or closing action~~ an opening of the door and a closing of the door, said control device automatically triggering the complete window lowering operation to lower the window of the vehicle door by operating the actuator to completely lower the window of the vehicle door as soon as a double unlock command has been received and, either simultaneously or subsequently, the vehicle door has been opened, without requiring any further action by a user upon receiving the double unlock command but only if, either simultaneously or subsequently, the door open signal has been received.

6. (Original) The system according to Claim 5, wherein said control device operates the actuator to completely close the window of the vehicle door after the vehicle door is closed.

7. (Original) The system according to Claim 6, further comprising an anti-squeeze device which monitors the closing operating of the window.

8. (Original) The system according to Claim 5, wherein the unlocking device comprises one of a remote-controlled operable device and a vehicle door command point.

9. (Currently Amended) A software product for controlling an opening and closing of a window of a vehicle door to facilitate entry into or out of a motor vehicle, the software product comprising a computer readable medium having stored thereon program code segments that:

detect an unlock command signal;

detect an opening of a door of the motor vehicle; and

activate a complete lowering of a window of the door as soon as a double unlock command ~~and, signal is detected and only if,~~ either simultaneously or subsequently, the opening of the vehicle door occurs, ~~without requiring any further action by a user is detected.~~

10. (New) A method of facilitating entry into or out of a motor vehicle, the method comprising the acts of:

receiving a double unlock door command signal to unlock a vehicle door
and to arm a complete window lowering operation for a window of the vehicle
door;

automatically triggering the complete window lowering operation only
upon a simultaneous or subsequent opening of the vehicle door.